



2000 Medium Light SabreLite™



This powerful flashlight was designed with one thing in mind: SAFETY. It carries a variety of approvals, allowing safe use in many different hazardous environments and conditions. The SabreLite is o-ring sealed with a twist-on shroud and comes with a polarity battery guard tray that safeguards against dangerous "outgassing" of hydrogen from an accidentally reversed cell. It is powered by 3 C alkaline cells, submersible, and has an ABS resin body which resists chemicals, corrosion, and extreme temperatures. Unlike ordinary flashlights that produce a yellow beam, the SabreLite's incredibly bright Xenon lamp produces a powerful white beam. Pelican's SabreLite is the leader in quality and performance.

- Built Pelican tough
- Unconditional Lifetime Guarantee of Excellence
- Submersible
- Super bright Xenon beam

CONFIGURATIONS

2000 - Standard

DIMENSIONS

Length: 7.79"

MATERIALS

Body: EXL

O-Ring: Ethylene Propylene

Lens: Nylon

Shroud: Xenoy

Clip: ABS

Contact Spring Retainer: Stainless Steel

COLORS






 Orange

 High Visibility Yellow

 Black

LIGHT SPECS

Lamp Type: Incandescent (Xenon)

FL1 STANDARD	HIGH
	53 LUMENS
	5h 0mins
	158m
	6234cd
	IPX7

POWER

Battery Size: C
Battery Type: Alkaline
Battery Quantity: 3
Volts: 4.5v

WEIGHT

Weight With Batteries: 12.8 oz
Weight Without Batteries: 5.3 oz
Packaged Weight: 6.8 oz

SWITCH

Switch Type: Twisting Lens Shroud
Light Modes: On / Off

CERTIFICATIONS

Class II, Division 2
Class I, Division 1
IECEX ib
Class I, Division 1

OTHER

Submersible: yes

Minimum Pack: 6

Military: yes

Package Code: C

Pelican Products, Inc.

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311

sales@pelican.com • www.pelican.com